

PAAROT Step-by-Step Instructions

Log in with your ASTRO username and password.

Step 1. BASELINE SURVEY

Click on the Baseline Assessment Survey tab and complete a baseline survey from 10 consecutive, completed patient charts. One chart equals one baseline survey. You must complete a minimum of 10 surveys before selecting a performance measure.

Step 2. PATIENT SURVEY

Physicians may choose to use PAAROT to send patients ASTRO's patient survey by simply entering the patient's e-mail address in the system. If you do not wish to use this option, please skip this step.

Step 3. PERFORMANCE MEASURES

After you have completed 10 baseline surveys, you will be able to view all measures scored less than 100 percent.

Step 4: IMPROVEMENT PLAN

Please select one measure for improvement and complete your improvement plan. Please print out a copy of your plan for your files. Your first phase of the project is complete. You will receive an e-mail when it is time for you to re-enter the system. Time period for remeasurement is three months minimum and 18 months maximum.

Step 5: REMEASUREMENT

A remeasurement tab will be available three months after you have completed your original baseline surveys. You will be asked to enter 10 more baseline surveys from a different set of 10 consecutive completed charts.

Step 6: CHANGE ANALYSIS

The table is a result of your first dataset, implementation of your performance plan and the last 10 charts entered into the system.

Step 7 and Final Step: FINISH AND EXPORT REPORTS

Please report your results and comments.

You have now completed a Type 2 PQI project. This information will be reported to the American Board of Radiology.